

# VI. Referências

- Ablett S, Pinkerton CR; United Kingdom Children's Cancer Study Group (UKCCSG). Recruiting children into clinical trials-role of the United Kingdom Children's Cancer Study Group (UKCCSG) Br J Cancer. 2003;88(11):1661-5.
- Adami HO, Glimelius B, Sparen P, Holmberg L, Krusemo UB, Ponten J. Trends in childhood and adolescent cancer survival in Sweden 1960 through 1984. Acta Oncol. 1992;31:1-10.
- American Academy of Pediatrics. Guidelines for the pediatric cancer center and role of such centers in diagnosis and treatment. Section on oncology-hematology. Pediatrics. 1986;77(6):916-7.
- Antoneli CBG, Steinhorst F, Ribeiro KCB, Novaes PE, Chojniak MMM, Arias V, et al. Extraocular retinoblastoma: a 13-year experience. Cancer. 2003;98(6):1292-8.
- Alfer W Jr, de Camargo B, Assunção MC. Management of synchronous bilateral Wilms tumor: Brazilian Wilms Tumor Study Group experience with 14 cases. Brazilian Wilms Tumor Cooperative Group, Sao Paulo, Brazil. J Urol. 1993;150(5 pt 1):1456-59.
- Baez F, Ocampo E, Malta A, Pacheco C, Flores A, Conter V, et al. Childhood Hodgkin's disease in Nicaragua [Abstract]. Med Pediatr Oncol. 1996;27(4):270.
- Bard D, Verger P, Hubert P. Chenobyl, 10 years after: health consequences. Epidemiol Rev. 1997;19(2):187-204.
- Bernstein L, Gurney J. Carcinomas and other malignant epithelial neoplasms. In Cancer Incidence and Survival among Children and Adolescents: United States SEER Program 1975–1995. Cancer Statistics Branch, National Cancer Institute, Bethesda, MD.1999. pp 139–148.
- Berrino F, Gatta G, Sant M, Capocaccia R. The EURO CARE study of survival of cancer patients in Europe: aims, current status, strengths and weaknesses. Eur J Cancer. 2001;37(6):673-7.
- Birch JM, Marsden HB. A classification Scheme for childhood cancer. Int J Cancer. 1987;40(5):620-4.
- Birch JM, Marsden HB, Morris Jones PH, Pearson B, Blair V. Improvements in survival from childhood cancer: results of a population based survey over 30 years. Br Med J (Clin Res Ed). 1988;296(6633):1372-6.
- Black RJ, Sankaranarayanan R, Parkin DM. Interpretation of population-based cancer survival data. In: Sankaranarayanan R, Black RJ, Parkin DM, editors. Cancer survival in developing countries. Lyon: International Agency for Research on Cancer; 1998. p. 13-27. [IARC Publications, 145].
- Bleyer AW. Supportive care is more than supportive [foreword]. In: Ablin AR, editor. Supportive care of children with cancer: current therapy and guidelines from the children's cancer group. 2nd ed. Baltimore: Johns Hopkins University Press; 1997. p. xii-iii.
- Bleyer WA. Epidemiology impact of children with brain tumors. Childs Nerv Syst. 1999;15(11):758-63.
- Bleyer WA. Cancer in older adolescents and young adults: epidemiology, diagnosis, treatment, survival, and importance of clinical trials. Med Pediatr Oncol. 2002a;38(1):1-10.
- Bleyer WA. Older adolescents with cancer in North America deficits in outcome and research. Pediatr Clin North Am. 2002b;49(5):1027-42.

Boissel N, Auclerc MF, Lheritier V, Perel Y, Thomas X, Leblanc T, et al. Should adolescents with acute lymphoblastic leukemia be treated as old children or young adults? Comparison of the French FRALLE-93 and LALA-94 Trials. *J Clin Oncol*. 2003;21(5):774-80. Epub 2003 Mar 1. Comment on: *J Clin Oncol*. 2003;21(5):760-1.

Boschmomar MG, Alvarez YG, Garcia AM, Soto TN, Roger MC, Garrote LF. Childhood cancer survival in Cuba. *Eur J Epidemiol*. 2000;16(8):763-7.

Braga PE. *Cancer na infância: tendências e análise de sobrevida em Goiânia (1989-1996)* [dissertação]. São Paulo (SP): Faculdade de Saúde Pública da Universidade de São Paulo; 2000.

Braga PE, Latorre MRD, Curado MP. Câncer na infância: análise comparativa da incidência, mortalidade e sobrevida em Goiânia (Brasil) e outros países. *Cad Saúde Pública*. 2002;18(1):33-44.

Brandalise S, Odone V, Pereira W, Andréa M, Zanichelli M, Aranega V. Treatment results of three consecutive Brazilian cooperative childhood ALL protocols: GBTLI-80, GCBTLI-82 and -85. ALL Brazilian Group. *Leukemia*. 1993;7 Suppl 2:S142-5.

Brandalise SR. Comparison of intermittent versus continuous methotrexate plus 6-MP in maintenance regimen for standard risk acute lymphoblastic leukemia in children (GBTLI ALL-99). *J Clin Oncol* (Meeting Abstracts). 2007;25 Suppl 18:S9512.

Brodeur GM, Maris JM, Yamashiro DJ, Hogarty MD, White PS. Biology and genetics of human neuroblastomas. *J Pediatr Hematol Oncol* 1997;19:93-101.

Brown BW, Brauner C, Minnotte MC. Noncancer deaths in white adult cancer patients. *J Natl Cancer Inst*. 1993;85(12):979-87.

Campos A, Pochman M, Amorin R, Silva R, editores. *Altas da exclusão social no Brasil*. 2a ed. São Paulo: Cortez; 2004. vol 2.

Castillo L, Fluchel M, Dabezies A, Pieri D, Brockhorst N, Barr R. Childhood cancer in Uruguay: 1992-1994: incidence and mortality. *Med Pediatr Oncol*. 2001;37(4):400-4.

Capra M, Vilella L, Pereira WV, Coser VM, Fernandes MS, Schiling MA, et al. Estimated number of cases, regional distribution and survival of patients diagnosed with acute myeloid leukemia between 1996 and 2000 in Rio Grande do Sul, Brazil. *Leuk Lymphoma*. 2007;48(12):2381-86.

Centro Brasileiro para Classificação de Doenças - CBCD. *Boletim*. 1996; jan./ago 17(1).

Coebergh JWW, van der Does-van de Berg A, Hop WCJ, van Weerden F, Rammeloo JA, van Steensel HA, et al. Small influence of parental educational level on the survival of children with leukemia in The Netherlands between 1973 and 1979. *Eur J Cancer*. 1996;32A(2):286-9.

Coebergh JW, Capocaccia R, Gatta G, Magnani C, Stiller CA. Childhood cancer survival in Europe, 1978-1992: the EURO CARE Study. *Eur J Cancer*. 2001;37(6):671-2.

Curado MP, Edwards B, Shin HR, Storm H, Ferlay J, Heanue M, et al, editors. *Cancer incidence in five continents* [monograph on the Internet]. Lyon: International Agency for Research on Cancer; 2007. vol. IX [cited 2008 Jun 23]. Available from: <http://www-dep.iarc.fr/>.

Da Costa Ramos FJ, Cartaxo Muniz MT, Silva VC, Araújo M, Leite EP, Freitas EM. Association between the MTHFR A1298C polymorphism and increased risk of acute myeloid leukemia in Brazilian children. *Leuk Lymphoma*. 2006;47(10):2070-5. Comment in: *Leuk Lymphoma*. 2006;47(10):2002-3.

Dalla-Torres AC, Yoshimoto M, Lee CA, Joshua AM, Toledo SRC, Petrilli AS, et al. Effects of THBS3, SPARC and SPPI expression on biological behaviour and survival in patients with osteosarcoma. *BMC Cancer*. 2006;6:237-47.

De Andrea ML, de Camargo B, Correa Alves A, Machado JC, Franco EL. Factors of prognostic importance in childhood non-Hodgkin's lymphoma treated with two-modified LSA2-L2 protocols: a multivariate analysis approach. *Cancer*. 1988;62(2):240-50.

De Andrea ML, de Camargo B, Melaragno R. A new treatment protocol for childhood non-Hodgkin's lymphoma: preliminary evaluation. *J Clin Oncol*. 1990;8(4):666-71.

De Bernardi B, Nicolas B, Boni L, Indolfi P, Carli M, Cordero Di Montezemolo L, et al. Disseminated neuroblastoma in children older than one year at diagnosis: comparable results with three consecutive high-dose protocols adopted by the Italian Co-operative Group for Neuroblastoma. *J Clin Oncol*. 2003;21(8):1592-601.

De Camargo B. Formação de um grupo cooperativo brasileiro para o tratamento de tumor de Wilms [carta]. *AMB Rev Assoc Med Bras*. 1987a;33:118-9.

De Camargo B. Sobrevida e mortalidade da criança e adolescente com cancer: 25 anos de experiência em uma instituição brasileira [Tese]. Sao Paulo (SP): Faculdade de Medicina Universidade de São Paulo; 2003.

De Camargo B, Andrea MLM, Franco ELF. Catching up with history: treatment of Wilms tumor in a developing country. *Med Pediatr Oncol*. 1987b;15(5):270-6.

De Camargo B, Franco EL. Single dose versus fractionated-dose dactinomycin in the treatment of Wilms tumor: preliminary results of a clinical trial. *Cancer*. 1991;67(12):2990-6.

De Camargo B, Franco EL. A randomized clinical trial of single-dose versus fractionated-dose dactinomycin in the treatment of Wilms tumor: results after extended follow-up. *Cancer*. 1994;73(12):3081-6.

De Nully Brown P, Hertz H, Olsen JH, Yssing M, Scheibel E, Jensen OM. Incidence of childhood cancer in Denmark 1943-1984. *Int J Epidemiol*. 1989;18(3):546-55.

De Sá BC, Rezze GG, Scramin AP, Ladman C, Neves RI. Cutaneous melanoma in childhood and adolescents: retrospective study of 32 patients. *Melanoma Res*. 2004;14(6):487-92.

De Vries E, Steliarova-Foucher E, Spatz A, Ardanaz E, Eggermont A, Coebergh J. Skin cancer incidence and survival in European children and adolescents (1978–1997). Report from the Automated Childhood Cancer Information System project. *European Journal of Cancer*, 2006; 42(13): 2170-2182

Desandes E, Lacour B, Sommelet D, Buemi A, Danzon A, Delafosse P, et al. Cancer incidence among adolescents in France. *Pediatr Blood Cancer*. 2004;43(7):742-8.

Desmeulles M, Mikkelsen T, Mao Y. Increasing incidence of primary brain tumors: influence of diagnostic methods. *J Natl Cancer Inst*. 1992;84(6):442-5.

Doll R, Payne P, Waterhouse JAH, editors. Cancer incidence in five continents. Geneva: International Union Against Cancer, Berlin: Springer; 1966. vol I.

Donaldson SS, Egbert P, Newsham I, Webster K, Cavenee WK. Retinoblastoma. In: Pizzo P, Poplack D, editors. Principles and practice of pediatric oncology. 3a ed. Philadelphia: J. B. Lippincott; 1997. p. 669-716.

Eden OB, Lillieyman JS, Richards S, Shaw MP, Peto J. Results of medical research council childhood leukaemia trial UKALL VIII on behalf of the working party on leukaemia in childhood. *Br J Haematol*. 1991;78(2):187-96.

Eden JA, Howes JB, Sullivan D, Lai N, Nestel P, Pomeroy S, West L, Howes LG. The effects of dietary supplementation with isoflavones from red clover on the lipoprotein profiles of post menopausal women with mild to moderate hypercholesterolaemia. *Atherosclerosis*. 2000;Volume 152, Issue 1, 1 September 2000, Pages 143-147

Erttmann R, Tafese T, Berthold F, Kerbl R, Mann J, Parker L, et al. 10 years neuroblastoma screening in Europe: preliminary results of a clinical and biological review from the Study Group for evaluating of neuroblastoma screening in Europe (SENSE). *Eur J Cancer*. 1998;34(9):1391-7.

Erwenne CM, Franco EL. Age and lateness of referral as determinants of extra-ocular retinoblastoma. *Ophthalmic Paediatr Genet*. 1989;10(3):179-84.

Extramural Committee to Access Measures of Progress Against Cancer. Measurement of progress against cancer. *J Natl Cancer Inst*. 1990;82(10):825-35.

Faria SL, Vassallo J, Cosset JM, Brandalise SR. Childhood Hodgkins disease in Campinas, Brazil. *Med Pediatr Oncol*. 1996;26(2):90-4.

Ferman SE. Análise de sobrevivência de pacientes pediátricos portadores de rhabdomiossarcoma: 18 anos de experiência do Instituto Nacional do Câncer-RJ [Tese]. São Paulo (SP): Faculdade de Medicina da Universidade de São Paulo; 2005.

Ferman SE, Land PGM, Eckhardt MBR, Machado AL, Cristofani LM, Odone Filho V. O diagnóstico tardio do rhabdomiossarcoma. *Pediatria (São Paulo)*. 2006;28(2):109-16.

Franco Le, De Camargo B, Saba L, Marques AL. Epidemiological and clinical correlations with genetic characteristics of Wilms' Tumor: results of the Brazilian Wilms' Tumor Study Group. *Int J Cancer*. 1991;48(5):641-6.

Fundação Oncocentro de São Paulo [homepage na Internet]. São Paulo (SP): Fundação Oncocentro de São Paulo; 2008 [citado em 2008 Out 17]. Disponível em: <http://www.fosp.saude.sp.gov.br/>.

Gatta G, Capocaccia R, Coleman MP, Ries G, Gloeckler LA, Berrino F. Childhood cancer survival in Europe and in United States. *Cancer*. 2002;95(8):1767-72.

Gatta G, Luksch R, Coleman MP, Corazziari I; EURO CARE Working Group. Survival from acute non-lymphocytic leukaemia (ANLL) and chronic myeloid leukaemia (CML) in European children since 1978: a population-based study. *Eur J Cancer*. 2001;37(6):695-702.

Greenberg ML, Barr RD, DiMonte B, McLaughlin E, Greenberg C. Childhood cancer registries in Ontario, Canada: lessons learned from a comparison of two registries. *Int J Cancer* 2003;105(1):88-91.

Giles G, Waters K, Thursfield V, Farrugia H. Childhood cancer in Victoria, Australia, 1970-1989. *Int J Cancer*. 1995;63(6):794-7.

Graboys MF, Mendonça GA. Prognosis for patients with unilateral Wilms' tumor in Rio de Janeiro, Brazil, 1990-2000. *Rev Saude Publica*. 2005;39(5):731-7.

Gurney JG. Brain cancer incidence in children: time to look beyond the trends. *Med Pediatr Oncol* 1999;33(2):110-2.

Hoppe RT, Hanton AL, Hanks GE, Owen BO. Progress in the treatment of Hodgkin's disease in the United States, 1973 versus 1983. *Cancer*. 1994;74(12):3198-203.

Howard SC, Pedrosa M, Lins M, Pedrosa A, Pui CH, Ribeiro RC, et al. Establishment of a pediatric oncology program and outcomes of childhood acute lymphoblastic leukemia in a resource-poor area. *JAMA*. 2004;291(20):2471-5.

Hsu SC, Metzger ML, Hudson MM, Pedrosa F, Lins M, Pedrosa M, et al. Comparison of treatment outcomes of childhood Hodgkin lymphoma in two US centers and a center in Recife, Brazil. *Pediatr Blood Cancer*. 2007;49(2):139-44.

Innis MD. Nephroblastoma: index cancer of childhood. *Med J Austr*. 1973;2(7):322-3.

Instituto Nacional de Câncer [homepage na Internet]. Rio de Janeiro (Brasil): Instituto Nacional de Câncer; c1996-2008 [citado em 2008 Out 17]. Origem das informações; [aproximadamente 8 telas]. Disponível em: [http://www.inca.gov.br/cgi/notatecnica\\_11012007.pdf](http://www.inca.gov.br/cgi/notatecnica_11012007.pdf).

Instituto Nacional de Câncer, Rede de Atenção Oncológica [homepage na Internet]. Rio de Janeiro (Brasil): Instituto Nacional de Câncer; c1996-2008 [citado em 2008 Out 17]. Disponível em: <http://www.redecancer.org.br/>.

Instituto Ronald Mc Donald [homepage na Internet]. Instituto Ronald Mc Donald; c2005 [citado em 2008 Out 17]. Disponível em: <http://www.instituto-ronald.org.br/>.

James DS, Bull AD. Information on death certificates: causes for concern? *J Clin Pathol*. 1996;49(3):213-6.

- Jemal A, Murray T, Samuels A, et al.. Cancer Statistics, 2003. *CA Cancer J Clin.* 2003;53(5): 5-26.
- Kaatsch P, Haaf G, Michaelis J. Childhood malignancies in Germany--methods and results of a nationwide registry. *Eur J Cancer.* 1995;31A(6):993-9.
- Kleinbaum DG, Kupper LL, Muller KE. Applied regression analysis and other multivariable methods. North Scituate, Massachusetts: Duxbury Press, 1988: 266-268.
- Koifman S, Pombo-de-Oliveira MS; Brazilian Collaborative Study Group of Infant Acute Leukemia. High birth weight as an important risk factor for infant leukemia. *Br J Cancer.* 2008;98(3):664-7.
- Kowalski LP, Gonçalves Filho J, Pinto CA, Carvalho AL, de Camargo B. Long-term survival rates in young patients with thyroid carcinoma. *Arch Otolaryngol Head Neck Surg.* 2003;129(7):746-9.
- Kramárová E, Mann JR, Magnani C, Corraziari I, Berrino F; EURO CARE Working Group. Survival of children with malignant germ cell, trophoblastic and other gonadal tumours in Europe. *Eur J Cancer.* 2001;37(6):750-9.
- Kramárová E, Stiller CA. The international classification of childhood cancer. *Int J Cancer.* 1996;68(6):759-65.
- La Vecchia C, Levi F, Lucchini F, Kayes SB, Boyle P. Hodgkin's mortality in Europe. *Br J Cancer.* 1991;64(4):723-34.
- La Vecchia C, Levi F, Lucchini F, Lagiou P, Trichopoulos D, Negri E. Trends in childhood cancer mortality as indicators of the quality of medical care in the developed world. *Cancer.* 1998;83(10):2223-7.
- Laks D, Longhi F, Wagner MB, Garcia PCR. Avaliação da sobrevivência de crianças com leucemia linfocítica aguda tratadas com o protocolo Berlim-Frankfurt-Munique. *J Pediatr.* 2003;79(2):149-58.
- Latronico AC, Longui CA, Lemos-Marini SHV et al. Inhibin  $\beta$ -subunit (INHA) gene and locus changes in paediatric adrenocortical tumours from TP53 R337H mutation heterozygote carriers. *Journal of Medical Genetics.* 2004;41:354-359.
- Levi F, La Vecchia C, Lucchini F, Negri E, Boyle P. Patterns of childhood cancer incidence and mortality in Europe. *Eur J Cancer.* 1992;28A(12):2028-49.
- Levi F, La Vecchia C, Lucchini F, Negri E, Boyle P. Patterns of childhood cancer mortality: America, Asia and Oceania. *Eur J Cancer.* 1995;31A(5):771-82.
- Levi F, La Vecchia C, Negri E, Lucchini F. Childhood cancer mortality in Europe, 1955-1995. *Eur J Cancer.* 2001;37(6):785-809. Erratum in: *Eur J Cancer.* 2001;37(17):2289. *Eur J Cancer.* 2001;37(13):1727.
- Levi F, Lucchini F, Negri E, Boyle P, La Vecchia C. Trends in mortality from Hodgkin's disease in western and eastern Europe. *Br J Cancer.* 2002;87(3):291-3.
- Li J, Thompson TD, Miller JW, Pollack LA, Stewart, SL. Cancer incidence among children and adolescents in the United States, 2001-2003. *Pediatrics.* 2008;121(6):e1470-7.
- Liga Paranaense de Combate ao Câncer. Relatório epidemiológico do Registro Hospitalar de Câncer: 2000 a 2004 [CD-ROM]. Curitiba: Liga Paranaense de Combate ao Câncer; 2007.
- Linnet MS, Ries LAG, Smith MA, Tarone RE, Devesa SS. Cancer surveillance series: recent trends in childhood cancer incidence and mortality in the United States. *J Natl Cancer Int.* 1999;91(12):1051-8.
- Little J. Introduction. In: Little J. Epidemiology of childhood cancer. Lyon: International Agency for Research on Cancer: World Health Organization; 1999. p.1-9. [IARC Scientific Publications, 149].
- Lobato-Mendizabal E, Ruiz-Argüelles GJ, Marín-López A. Leukemia and nutrition I: malnutrition is an adverse prognostic factor in the outcome of treatment of patients with standard-risk acute lymphoblastic leukaemia. *Leuk Res.* 1989;13(10):899-906.
- Lopes LF, de Camargo B, Dondonis M, Araujo RA, Morinaka E. Response to high dose cisplatin and

- etoposide in advanced germ cell tumors in children: results of the Brazilian Germ Cell Tumor Study. *Med Pediatr Oncol.* 1995;25(5):396-9.
- Lopes LF, Sonaglio V, Ribeiro KCB, Schneider DT, de Camargo B. Improvement in the outcome of children with germ cell tumors. *Ped Blood Cancer.* 2007;50(2):250-3.
- Lu TH, Shau WY, Shih TP, Lee MC, Chou MC, Lin CK. Factors associated with errors in death certificate completion: a National Study in Taiwan. *J Clin Epidemiol.* 2001;54(3):232-8.
- Lui L, Krailo M, Reaman GH, Bernstein L; Surveillance, Epidemiology and End Results Childhood Cancer Linkage Group. Childhood cancer patients' access to cooperative group cancer programs: a population-based study. *Cancer.* 2003;97(5):1339-45.
- Magnani C, Aareleid T, Viscomi S, Pastore G, Berrino F; EUROCARE Working Group. Variation in survival of children with central nervous system (CNS) malignancies diagnosed in Europe between 1978 and 1992: the EUROCARE study. *Eur Cancer.* 2001a;37(6):711-21.
- Magnani C, Gatta G, Corazziari I, Kramarova E, Pastore G, Viscomi S, et al. Childhood malignancies in the EUROCARE study: the database and the methods of survival analysis. *Eur J Cancer* 2001b;37(6):678-86.
- Maluf Jr PT. Contribuição ao estudo de aspectos clinicos, terapeuticos e de fatores de prognostico dos rabiomiossarcomas na infancia [Tese]. Sao Paulo: Faculdade de Medicina da Universidade de São Paulo; 1993.
- Maluf PT, Odone Filho V, Cristofani LM, Britto JL, Almeida MT, Pontes E, et al. Teniposide plus cytarabine as intensification therapy and in continuation therapy for advanced nonlymphoblastic lymphomas of childhood. *J Clin Oncol.* 1994;12(9):1963-8.
- Magrath IT, Shad A, Epelman S, de Camargo B, Petrilli AS, el-Mawla NG, et al. Pediatric oncology in countries with limited resources. In: Pizzo P, Poplack D, editors. *Principles and practice of pediatric oncology.* 3a ed. Philadelphia: J B Lippincott; 1997. p.1395-420.
- Marigo C, Muller H, Davies JN. Survey of cancer in children admitted to a Brazilian charity hospital. *J Natl Cancer Inst.* 1969;43:1231-40.
- Martos CM, Olsen JH. Childhood cancer mortality in the European Community, 1950-1989. *Eur J Cancer.* 1993;29A(12):1783-9.
- Masera G, Chesler M, Jankovic M, Eden T, Nesbit ME, Van Dongen-Melman J, Epelman C, Ben Arush MW, Schuler D, Mulhern R. SIOP Working Committee on Psychosocial issues in pediatric oncology: guidelines for care of long-term survivors. *Med Pediatr Oncol.* 1996;27(1):1-2. Comment in: *Med Pediatr Oncol.* 1997;29(1):72.
- Masera G, Jankovic M, Deasy-Spinetta P, Adamoli L, Ben Arush MW, Challinor J, et al. SIOP Working Committee on Psychosocial Issues in Pediatric Oncology: guidelines for school/education. *Med Pediatr Oncol.* 1995;25(6):429-30.
- Masera G, Spinetta JJ, Jankovic M, Ablin AR, Buchwall I, Van Dongen-Melman J, et al. Guidelines for a therapeutic alliance between families and staff: a report of the SIOP Working Committee on Psychosocial Issues in Pediatric Oncology. *Med Pediatr Oncol.* 1998;30(3):183-6.
- Masera G, Spinetta JJ, Jankovic M, Ablin AR, D'Angio GJ, Van Dongen-Melman J, et al. Guidelines for assistance to terminally ill children with cancer: a report of the SIOP Working Committee on psychosocial issues in pediatric oncology. *Med Pediatr Oncol.* 1999;32(1):44-8. Comment in: *Med Pediatr Oncol.* 2000;34(4):271-3.
- McWHIRTER WR, DOBSON C, RING I. Childhood cancer incidence in Australia, 1982-1991. *Internationalt Journal of Cancer.* 1996;65:34-38.
- McWhirter WR, Stiller CA, Lennox EL. Carcinomas in childhood: a registry-based study of incidence and survival. *Cancer.* 1989;63(11):2242-6.
- Meadows AT, Kramer S, Hopson R, Lustbader E, Jarrett P, Evans AE. Survival in childhood acute

- lymphoblastic leukaemia: effect of protocol and place of treatment. *Cancer Invest.* 1983;1(1):49-55.
- Melo MB, Ahmad NN, Lima CS, Pagnano KB, Bordin S, Lorand-Metze I, et al. Mutations in the p53 gene in acute myeloid leukemia patients correlate with poor prognosis. *Hematology.* 2002;7(1):13-9.
- Miller RW, McKay FW. Decline in us childhood cancer mortality. 1950 through 1980. *JAMA.* 1984;251(12):1567-70.
- Ministério da Saúde [homepage na Internet]. Brasília: Ministério da Saúde; 2008 [citado em: 2001 Ago 20]. Sistema de informações sobre mortalidade-SIM; [aproximadamente 3 telas]. Disponível em: <http://tabnet.datasus.gov.br/cgi/deftohtm.exe?sim/cnv/obtuf.def>.
- Ministério da Saúde, Datasus. [homepage na Internet]. Brasília: Ministério da Saúde; 2008 [citado em: 2008 Jul 20]. Informações em saúde; [1 tela]. Disponível em: <http://w3.datasus.gov.br/datasus/datasus.php?area=359A1B379C6D0E0F359G23H0I1Jd6L26M0N&VInclude=../site/infsaude.php&VObj=http://tabnet.datasus.gov.br/cgi/deftohtm.exe?ibge/cnv/pop>
- Mirra AP, Latorre MRDO, Veneziano DB, editores. Incidência, mortalidade e sobrevida do câncer da infância no município de São Paulo. São Paulo: Registro de Câncer de São Paulo; 2004.
- Moller TR, Garwicz S, Barlow L, Falck Winther J, Glatte E, Olafsdottir G, et al. Decreasing late mortality among five-year survivors of cancer in childhood and adolescents: a population-based study in the Nordic countries. *J Clin Oncol.* 2001;19(3):3173-81.
- Monteiro GTR, Koifman S. Mortalidade por tumores de cérebro no Brasil, 1980-1998. *Cad Saúde Pública.* 2003;19(4):1139-51.
- Mott MG. Combination chemotherapy of childhood non-Hodgkin's lymphomas. *Cancer Treat Rep.* 1981;65 Suppl 1:119-23.
- Odone-Filho V. Tratamento convencional dos neuroblastomas [Tese]. São Paulo: Universidade de São Paulo; 1992.
- Organizacion Pan-Americana de la Salud. La salud del adolescente y del joven en las Americas. Washigton: Organizacion Pan-Americana de la Salud; 1985. [Publicación científica, 489].
- Palazzi MA, Yunes JA, Cardineli IA, Stangenhans GP, Brandalise SR, Ferreira AS, et al. Detection of oncogenic human papillomavirus in sporadic retinoblastoma. *Acta Ophthalmol Scand.* 2003;81(14):396-8.
- Parise IZS, Haddad B, Cavalli LR, Pianoski MAD, Maggio EM, Parise GA, et al. Neuroblastoma in Southern Brazil: an 11-year study. *J Pediatric Hematol Oncol.* 2006;28(2):82-7.
- Parkin DM, Kramarova E, Draper GJ, Masuyer E, Michaelis J, Neglia J, et al. editors. International incidence of childhood cancer. Lyon: International Agency for Research on Cancer; 1998. v. II. [IARC Scientific Publications, 144].
- Parkin DM, Stiller CA, Draper GJ, Bieber CA, Terracini B, Young JL, editors. International incidence of childhood cancer. Lyon: International Agency for Research on Cancer; 1988. vol. I. [IARC Scientific Publications, 87].
- Parkin DM, Stiller CA, Nectoux J. International variations in the incidence of childhood bone tumors. *Int J Cancer.* 1993;53(3):371-6.
- Pastore G, Magnani C, Verdecchia A, Pession A, Viscomi S, Coebergh JW. Survival of childhood lymphomas in Europe, 1978-1992: a report from the EURO CARE study. *Eur J Cancer.* 2001a;37(6):703-10.
- Pastore G, Mosso ML, Carnevale F, di Montezemolo LC, Forni M, Madon E, et al. Survival trends of childhood cancer diagnosed during 1970-94 in Piedmont, Italy: a report from the Childhood Cancer Registry. *Med Pediatr Oncol.* 2001b;36(4):481-8.
- Pedrosa F, Bonilla M, Liu A, Smith K, Davis D, Ribeiro RC, Wilimans JA. Effect of malnutrition at the

- time of diagnosis on the survival of children treated for cancer in El Salvador and Northern Brazil. *J Pediatr Hematol Oncol*. 2000;22(6):502-6. Comment in: *J Pediatr Hematol Oncol*. 2000;22(6):491-4.
- Pedrosa MF, Pedrosa F, Lins MM, Pontes Neto NT, Hanois Filho G. Linfoma não Hodgkin na infância: características clínico-epidemiológicas e avaliação da sobrevida em um único centro no Nordeste do Brasil. *J Pediatr (Rio J)*. 2007;83(6):547-54.
- Petrilli AS, de Camargo B, Odone Filho V, Bruniere P, Brunetto AL, Jesus-Garcia R, et al. Results of the Brazilian Osteosarcoma Treatment Group Studies III and IV: prognostic factors and impact on survival. *J Clin Oncol*. 2006;24(7):1161-8.
- Petrilli AS, Penna W, Lopes A, Figueiredo MT, Gentil FC. IIB osteosarcoma: current management, local control, and survival statistics-Sao Paulo-Brazil. *Clin Orthop Relat Res*. 1991;(270):60-6.
- Plesko I, Kramarova E, Stiller CA, Coebergh JW, Santaquilani M; EUROCORE Working Group. Santaquilani M. Survival of children with Wilms' tumour in Europe. *Eur J Cancer*. 2001;37(6):736-43.
- Pianoski MAD, Maluf EMCP, de Carvalho DS, Ribeiro RC, Rodriguez-Galindo C, Bofetta P, et al. Mortality rate of adrenocortical tumors in children under 15 years of age in Curitiba, Brazil. *Pediatr Blood Cancer*. 2006;47(1):56-60.
- Pombo-de-Oliveira MS, Koifman S; Brazilian Collaborative Study Group of Infant Acute Leukemia. Infant acute leukemia and maternal exposures during pregnancy. *Cancer Epidemiol Biomarkers Prev*. 2006;15(12):2336-41. Comment in: *Cancer Epidemiol Biomarkers Prev*. 2006;15(12):2331.
- Pui CH, Evans EV. Acute lymphoblastic leukemia. *N Engl J Med*. 1998;339(9):605-15.
- Ramos FJC, Muniz MTC, Silva VC, Araújo M, Leite EP, Freitas EM, Zanrosso CW, Hatagima A, de Mello MP, Yunes JA, Marques-Salles TJ, Santos N, Brandalise RS; Pombo-De-Oliveira MS. Association between the MTHFR A1298C polymorphism and increased risk of acute myeloid leukemia in Brazilian children. *Leukemia and Lymphoma*, Volume 47, Issue 10 2006, pages 2070 – 2075.
- Ray-Coquard I, Ghesquiere H, Bachelot T, Borg C, Biron P, Sebban C, et al. Identification of patients at risk for early death after conventional chemotherapy in solid tumours and lymphomas. *Br J Cancer*. 2001;85(6):816-22.
- Rech A, Castro CG, Mattei J, Gregianin L, Leone LD, David A, et al. Clinical features in osteosarcoma and prognostic implications. *J Pediatr (Rio J)*. 2004;80(1):65-70.
- Reis RS, Santos MO, Thuler, LCS. Incidência de tumores pediátricos no Brasil. *Rev Bras Cancerol*. 2007;53(1):5-15.
- Ribeiro KCB, Antoneli CBG. Trends in eye Cancer mortality among children in Brazil, 1980-2002. *Pediatr Blood Cancer*. 2007a;48(3):296-305.
- Ribeiro KCB, de Camargo B, Torloni H, editores. Registro hospitalar de câncer pediátrico 1988 & 1994. São Paulo: Centro de Tratamento e Pesquisa Hospital do Câncer; 1999.
- Ribeiro KCB, de Camargo B. Trends in childhood renal cancer mortality in Brazil, 1980-2000. *Paediatr Perinat Epidemiol*. 2006;20(4):323-8.
- Ribeiro RC, Fabiano S, Figueiredo B, Zambettig GP, Michalkiewicz E, Lafferty AR, Michalkiewicz E, De Lacerda L, Rabin M, Cadwell C, Sampaio G, Cat I, Stratakis CA, Sandrini R. An inherited p53 mutation that contributes in a tissue-specific manner to pediatric adrenal cortical carcinoma. *PNAS*. 2001; 98 (16): 9330-35.
- Ribeiro KCB, Lopes LF, de Camargo B. Trends in childhood leukemia mortality in Brazil and correlation with social inequalities. *Cancer*. 2007;110(8):1823-31.
- Ries LAG, Eisner MP, Kosary CL, Hankey BF, Miller BA, Clegg L, et al. editors. SEER Cancer statistics review, 1973-1997 [monograph on the Internet]. Bethesda: National Cancer Institute; 2002 [cited 2008 out 2]. Available from: [http://seer.cancer.gov/csr/1973\\_1997/](http://seer.cancer.gov/csr/1973_1997/).
- Ries LAG, Smith MA, Gurney JG, Linet M, Tamra T, Young JL, et al. editors. Cancer incidence and

survival among children and adolescents: United States SEER Program 1975-1995 [monograph on the Internet]. Bethesda: National Cancer Institute; 1999 [cited 2008 out 2]. Available from: <http://seer.cancer.gov/publications/childhood/>.

Rodrigues KES. Estudo dos fatores que influenciam o atraso do diagnóstico das neoplasias malignas pediátricas dos pacientes admitidos no Hospital do Câncer de São Paulo no período de 1991 a 2002 [Dissertação]. São Paulo (SP): Fundação Antonio Prudente; 2002.

Rodrigues KES, de Camargo B. Diagnóstico precoce do câncer infantil: responsabilidade de todos. *Rev Assoc Med Bras*. 2003;49(1):29-34.

Rodrigues KES, Latorre MRDO, de Camargo B. Atraso diagnóstico do retinoblastoma. *J Pediatr*. 2004;80(6):511-6.

Rosemberg S, Fujiwara D. Epidemiology of pediatric tumors of the nervous system according to the WHO 200 classification: a report of 1,195 cases from a single institution. *Childs Nerv Syst*. 2005;21(11):940-4. Epub 2005 Jul 26.

Rosen G, Caparros B, Huvos AG, Kosloff C, Nirenberg A, Cacavio A, et al. Preoperative chemotherapy for osteogenic sarcoma: selection of postoperative adjuvant chemotherapy based on the response of the primary tumor to preoperative chemotherapy. *Cancer*. 1982;49(6):1221-30.

Ross JA, Severson RK, Pollock BH, Robison LL. Childhood cancer in the United States: a geographical analysis of cases from the Pediatric Cooperative Clinical Trials groups. *Cancer*. 1996;77(10):201-7.

Sant M, Capocaccia R, Badioni V; UROCARE Working Group. Survival for retinoblastoma in Europe. *Eur J Cancer*. 2001;37(6):730-5.

Sawada T, Sugimoto T, Kawakatsu H, Matsumura T, Matsuda Y. Mass screening for neuroblastoma in Japan. *Pediatr Hematol Oncol*. 1991;8(2):93-109.

Segi M. Cancer mortality for selected sites in 24 Countries (1950-57). Sendai (JPN): Department of Public Health, Tohoku University School of Medicine; 1960.

Selby P, Gillis C, Haward R. Benefits from specialized cancer center. *Lancet*. 1996;348(9023):313-8.

Serafim A, Vilanova LCD, Silva SN. Neurological evaluation of children and adolescents with brain tumor, based on ambulatory-oriented follow-up. *Arq Neuropsiquit*. 2001;59(4):849-53.

Sgarbieri UR, Fisberg M, Tone LG. Nutritional assessment and serum zinc and copper concentration in leukemic children. *Rev Paul Med*. 1999;117(1):13-8.

Sharpe CR, Franco EL. Use of dipyron during pregnancy and risk of Wilms tumor. Brazilian Wilms' Tumor Study Group. *Epidemiology*. 1996;7(5):533-5.

Sharpe CR, Franco EL, de Camargo B, Lopes LF, Barreto JH, Jonhson RR, et al. Parental exposures to pesticides and risk of Wilms' tumor in Brazil. *Am J Epidemiol*. 1995;141(3):210-17.

Silva ML, Ornellas de Souza MH, Ribeiro RC, Land MG, Boulhosa de Azevedo AM, Vasconcelos F, et al. Cytogenetic analysis of 100 consecutive newly diagnosed cases of acute lymphoblastic leukemia in Rio de Janeiro. *Cancer Genet Cytogenet*. 2002;137(2):85-90.

Smith MA, Ries LAG. Childhood cancer: incidence, survival, and mortality. In: Pizzo PA, Poplack DG, editors. *Principles and practice of pediatric oncology*. 4th ed. Philadelphia: Lippincott Williams & Wilkins; 2002. p.1-12.

Spinetta JJ, Jankovic M, Ben Arush MW, Eden T, Epelman C, Greenberg ML, et al. Guidelines for the recognition, prevention, and remediation of burnout in health care professionals participating in the care of children with cancer: report of the SIOP Working Committee on Psychosocial Issues in Pediatric Oncology. *Med Pediatr Oncol*. 2000;35(2):122-5.

Spinetta JJ, Jankovic M, Eden T, Green D, Martins AG, Wandzura C, et al. Guidelines for assistance to siblings of children with cancer: report of the SIOP Working Committee on Psychosocial Issues in Pediatric Oncology. *Med Pediatr Oncol*. 1999;33(4):395-8.

Spinetta JJ, Masera G, Jankovic M, Oppenheim D, Martins AG, Ben Arush MW, et al. Valid informed consent and participative decision-making in children with cancer and their parents: a report of the SIOOP Working Committee on psychosocial issues in pediatric oncology. *Med Pediatr Oncol.* 2003;40(4):244-6. Comment in: *Med Pediatr Oncol.* 2003;41(2):169-70.

Spix C, Aarelid T, Stiller CA, Magnani C, Kaatsch P, Michaelis J. Survival of children with neuroblastoma: time trends and regional differences in Europe, 1978-1992. *Eur J Cancer.* 2001;37(6):722-9.

Sporn MB. The war on cancer. *Lancet.* 1996;347(9012):1377-81.

Sriamporn S, Vatanasapt V, Martin N, Sriplung H, Chindavijak K, Sontipong S, et al. Incidence of childhood cancer in Thailand 1988-1991. *Paediatr Perinat Epidemiol.* 1996;10(1):73-85.

Steliarova-Foucher E, Stiller C, Kaatsch P, Berrino F, Coeberg JW, Lacour B, Parkin DM. Geographical patterns and time trends of cancer incidence and survival among children and adolescents in Europe since the 1970s (the ACCis project): an epidemiological study. *Lancet.* 2004;364:2097-105

Steliarova-Foucher E, Stiller C, Lacour B, Kaatsch P. International classification of childhood cancer, third edition. *Cancer.* 2005;103(7):1457-67.

Stiller C. International variations in the incidence of childhood carcinomas. *Cancer Epidemiol Biomarkers Prev.* 194 Jun;3(4):305-10.PMID: 8061578

Stiller C. International patterns of cancer incidence in adolescents. *Cancer treatment reviews.* 2007;33 631-645.

Stiller CA. Centralization of treatment and survival rates for cancer. *Arch Dis Child.* 1988;63(1):23-30.

Stiller CA. Population based survival rates for childhood cancer in Britain 1980-91. *BMJ.* 1994;309(6969):1612-6. Comment in: *BMJ.* 1998;316(7137):1094-5.

Stiller CA, Bunch KJ. Trends in survival for childhood cancer in Britain diagnosed 1971-85. *Brit J Cancer.* 1990;62(5):806-15.

Stiller CA, Bunch KJ, Lewis IJ. Ethnic group and survival from childhood cancer: a report from the UK Children's Cancer Study Group. *Br J Cancer.* 2000;82(7):1339-43.

Stiller CA, Craft AW, Corazziari I; EUROCORE Working Group. Survival of children with bone sarcoma in Europe since 1978: results from the EUROCORE study. *Eur J Cancer.* 2001a;37(6):760-6.

Stiller CA, Draper GJ. Treatment center size, entry to trials and survival in acute lymphoblastic leukaemia. *Arch Dis Child.* 1989;64(5):657-61.

Stiller CA, Eatock EM. Patterns of care and survival for children with acute lymphoblastic leukaemia diagnosed between 1980 and 1994. *Arch Dis Child.* 1999;81(3):202-8.

Stiller CA, Kroll ME. Time trends in incidence 1966-2000. In: Stiller CA, editor. *Childhood cancer in Britain: incidence, survival, mortality.* Oxford: Oxford University Press; 2007a. chap. 4.

Stiller CA, Kroll ME, Eatock EM. Incidence of childhood cancer 1991-2000. In: Stiller CA, editor. *Childhood cancer in Britain: incidence, survival, mortality.* Oxford University Press; 2007. chap. 3.

Stiller CA, Pritchard J, Steliarova-Foucher E. Liver cancer in European children: incidence and survival, 1978-1997. Report from the Automated Childhood Cancer Information System Project. *Eur J Cancer.* 2006;42:2115-23.

Stiller CA, Stevens MC, Magnani C, Corazziari I; EUROCORE Working Group. Survival of children with soft-tissue sarcoma in Europe since 1978: results from the EUROCORE study. *Eur J Cancer.* 2001b;37(6):767-74.

Storm HH, Plesko I. Survival of children with thyroid cancer in Europe 1978-1989. *Eur J Cancer.* 2001;37(6):775-9.

- Strahlendorf C. Relative frequency and treatment of retinoblastoma in Johannesburg, South Africa: a new vision for developing countries [abstract]. *Med Pediatr Oncol.* 1997;29:373. [Apresentado na International Society of Pediatric Oncology, SIOP XXIX Meeting, Istambul; 1997].
- Torres LF, Jacob GV, Reis-Filho JS, de Noronha L. Primary pediatric tumours of central nervous system: anatomopathology study of 623 cases. *Arq Neuropsiquiatr.* 1997;55(4):795-800.
- Viana MB, Cunha KCCMS, Ramos G, Murao M. Acute myeloid leukemia in childhood: fifteen-year experience in a single institution. *J Pediatr (Rio J).* 2003;79(6):489-96. Comment in: *J Pediatr (Rio J).* 2003;79(6):476-7.
- Viana MB, Murao M, Ramos G, Oliveira HM, de Carvalho RI, de Bastos M, et al. Malnutrition as a prognostic factor in lymphoblastic leukaemia: a multivariate analysis. *Arch Dis Child.* 1994;71(4):304-10. Comment in: *Arch Dis Child.* 1995;72(1):98.
- Villeneuve PJ, Raman S, Leclerc JM, Huchcroft S, Dryer D, Morrison H. Survival rates among Canadian children and teenagers with cancer diagnosed between 1985 and 1988. *Cancer Prev Control.* 1998;2(1):15-22.
- Walters TR, Bushore M, Simone J. Poor prognosis in Negro children with acute lymphoblastic leukemia. *Cancer.* 1972;29(1):210-4.
- Welch GH, Black WC. Are deaths within 1 month of cancer-directed surgery attributed to cancer? *J Natl Cancer Inst.* 2002;94(14):1066-70. Comment in: *J Natl Cancer Inst.* 2002;94(14):1044-5.
- Wessels G, Hesselting PB. Outcome of children treated for cancer in the Republic of Namibia. *Med Pediatr Oncol.* 1996;27(3):160-4.
- Wollner N, Burchenal JH, Lieberman P, Exelby P, D'Angio GJ, Murphy ML. Non-Hodgkin's lymphoma in children: a comparative study of two modalities of therapy. *Cancer.* 1976;37(1):123-34.
- Wollner N, Exelby PR, Lieberman P. Non-Hodgkin's lymphoma in children: a progress report on the original patients treated with LSA2-L2 protocol. *Cancer.* 1979;44(6):1990-9.
- Wollner N, Lieberman P, Exelby P, D'Angio G, Burchenal J, Fang S, et al. Non-Hodgkin's lymphoma in children: results of treatment with LSA2-L2 protocol. *Br J Cancer Suppl.* 1975;2:337-42.
- Woods WG. Screening for neuroblastoma: the final chapters. *J Pediatr Hematol Oncol.* 2003;25(1):3-4.
- Woods WG, Tuchman M, Bernstein M, Lemieux B. A population-based study of the usefulness of screening for neuroblastoma. *Lancet.* 1996;348(9043):1682-7.
- Woods WG, Tuchman M, Bernstein M, Lemieux B. Screening infants for neuroblastoma does not reduce the incidence of poor-prognosis disease. *Med Pediatr Oncol.* 1998;31:450-4.
- Workman GM, Ribeiro RC, Raí SN, Pedrosa A, Workman DE, Pedrosa F. Pediatric cancer knowledge: assessment of knowledge of warning signs and symptoms for pediatric cancer among Brazilian community health workers. *J Cancer Educ.* 2007;22(3):181-5.
- Yamamoto K, Hayashi Y, Hanada R, Kikuchi A, Ichikawa M, Tanimura M, et al. Mass screening and age-specific incidence of neuroblastoma in Saitama Prefecture, Japan. *J Clin Oncol.* 1995;13(8):2033-8.
- Zanrosso CW, Hatagima A, Emerenciano M, Ramos F, Figueiredo A, Félix TM, et al. The role of methylenetetrahydrofolate reductase in acute lymphoblastic leukemia in a Brazilian mixed population. *Leuk Res.* 2006;30(4):477-81. Epub 2005 Sep 22.